

SERIES 200 SUNDANCE




DEB200DT Flicker Free Ballast

Utilizing the latest technology, the DEB200DT electronic flicker free ballasts are designed to power the dedolight DLH200DT and DLH200SDT daylight / tungsten light heads. Light-weight yet rugged, small yet powerful with every conceivable feature you would want. Four different versions allow powering the light from mains or from battery.

- Dimmable from 200 W to 100 W
- Over-voltage, overload, overheat and short circuit protection. Rainproof according to IP 23 when in horizontal position.

Technical Data: DEB200DT

Powered from mains.
 Dimension: 24.0x12.9x7.5 cm (9.5x5x3")
 Weight: 1900 g (4.2 lbs)
 Input Voltage: Automatic sensing 90-260 V AC



DEB200H
 Mounting bracket for mounting DEB200DT electronic ballast to lighting stand. Works with CLAMP-C (included).
 Weight: 205 g (7.2 oz.)



DEB200DT-BAT
 Battery operated electronic ballast for use with external batteries.
(BIGPACK1, p. 42)
 Input: 21.5-33V DC
 Dimension: same as DEB200DT
 Weight: 2000 g (4.4 lbs)



DEB200DT-BATAB
 Same as DEB200DT-BAT.
 Fitted with two gold mount plates to simultaneously accept two Anton/Bauer batteries.
 Dimension: 23.8x12.8x9.2 cm (9.4x5x3.6")
 Weight: 2200 g (4.8 lbs)




DEB200DT-BATPAG
(not shown)
 Same as DEB200DT-BATAB but fitted with two mounting plates for PAG batteries.

BIGPACK1
 Ni/MH Battery Pack *(see page 42 for details)*
 Two separate outputs: 14.4V (28 Ah) & 28.8V (14 Ah)
 Internal overnight charger: Input 84-240V / 50-60Hz
 13-14 hrs.
 Dimension: 13.5 cm x 27.5 cm x 18 cm (5.3" x 10.8" x 7.1")
 Weight: 8 kg (17.6 lbs)

DPOW200DT-BAT
 3-pin XLR cable to connect DEB200DT-BAT versions to BIGPACK1.
 Weight: 322 g (11.4 oz.)



DEXTCHG
 Optional external four hour charger.
 Dimension: 189x132x82 mm (7.4x5.2x3.2")
 Weight: 650 g (1.4 lbs)



DLSWI300
 Inverter to power a DEB200DT from a car battery or other 12 V DC source.
 Dimension: 20.5x12.5x10 cm (8.1x4.9x3.9")
 Weight: 3.6 kg (7.9 lbs)

